




# Dosing Information of Simethicone for Dogs and Cats

(Gas-X)

	Extra Strength Chewable	Extra Strength Softgel	Ultra Strength Softgel
<b>Simethicone</b>	125 mg	125 mg	180 mg
<b>Max Dose per 24 Hours</b>	4 tablets	4 softgels	2 softgels
<b>Directions</b>	Adults: Chew 1 to 2 tablets as needed after meals and at bedtime	Adults: Swallow with water 1 to 2 softgels as needed after meals and at bedtime	Adults: Swallow with water 1 or 2 softgels as needed after meals and at bedtime
<b>Contains Calcium</b>			
	<a href="#">VIEW PRODUCT &gt;</a>	<a href="#">VIEW PRODUCT &gt;</a>	<a href="#">VIEW PRODUCT &gt;</a>

Medication, even over-the-counter (OTC) medication such as Simethicone, should never be administered without first consulting your veterinarian.

In dogs, the dose of Simethicone recommended for treatment of excessive gastrointestinal gas ranges from 25 mg total dose for small dogs and up to 200 mg total dose for large dogs every 6 to 12 hours as needed.

Weight	Dose
Under 10	1/8 <sup>th</sup> Chewable Gas-X
10-25	1/2 Chewable Gas-X
25-50	3/4 Chewable Gas-X
50-90	1 Chewable Gas-X
90+	1-1/2 Chewable Gas-X
Dose just after each meal for best results. Make sure the active ingredient is Simethicone.	

In cats, the liquid formulations are most often used with doses that range from 3 mL to 0.5 mL every 8 to 12 hours as needed.

The duration of administration depends on the condition being treated, response to the medication and the development of any adverse effects.